

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Original) A method of increasing the efficacy of agricultural chemicals comprising:  
applying at least one agricultural chemical to a plant or plant seed under conditions effective for the agricultural chemical to perform its intended functions and  
applying at least one hypersensitive response elicitor protein or polypeptide to said plant or plant seed under conditions effective to increase the efficacy of the agricultural chemical.
2. (Original) The method according to claim 1, wherein said plant is treated during said applying.
3. (Original) The method according to claim 1, wherein said plant seed is treated during said applying, said method further comprising:  
planting said treated plant seed in natural or artificial soil and  
propagating a plant from said treated plant seed planted in said natural or artificial soil.
4. (Original) The method according to claim 1, wherein said plants or plant seeds are selected from the group consisting of canola, alfalfa, rice, wheat, barley, rye, cotton, sunflower, peanut, corn, potato, sweet potato, bean, pea, chicory, lettuce, endive, cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, avocado, sugarcane, *Saintpaulia*, petunia, pelargonium, poinsettia, chrysanthemum, carnation, and zinnia.
5. (Original) The method according to claim 1, wherein said applying the agricultural chemical is conducted simultaneously or independently of said applying the hypersensitive response elicitor protein or polypeptide.
6. (Original) The method according to claim 1, wherein the agricultural chemical is selected from the group consisting of pesticides, fertilizers, and plant growth regulators.

7. (Original) The method according to claim 6, wherein the agricultural chemical is a pesticide selected from the group consisting of insecticides, fungicides, herbicides, acaricides, virucides, and nematocides.

8. (Previously Presented) The method according to claim 7, wherein the pesticide is an insecticide containing an active ingredient selected from the group consisting of carbamates, organochlorines, nicotinoids, phosphoramidothioates, organophosphates, and pyrethroids.

9-14 (Canceled).

15. (Original) The method according to claim 7, wherein the pesticide is a fungicide containing an active ingredient selected from the group consisting of aliphatic nitrogens, benzimidazoles, dicarboximides, dithiocarbamates, imidazoles, strobins, anilides, aromatics, sulfur derivatives, and copper derivatives.

16-23 (Canceled).

24. (Original) The method according to claim 7, wherein the pesticide is a herbicide containing an active ingredient with a site of action classification number selected from the group consisting of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 22, 28, and combinations thereof.

25-40 (Canceled).

41. (Original) The method according to claim 6, wherein the agricultural chemical is a plant growth regulator selected from the group consisting of auxins, cytokinins, defoliants, ethylene releasers, gibberellins, growth inhibitors, growth retardants, growth stimulators, (S)-trans-2-Amino-4-(2-aminoethoxy)-3-butenic acid hydrochloride, and N-(phenylmethyl)-1H-purine-6-amine.

42-47 (Canceled).

48. (Original) The method according to claim 6, wherein the agricultural chemical is a fertilizer containing plant nutrients selected from the group consisting of sulfur, phosphorus, magnesium, calcium, potassium, nitrogen, molybdenum, copper, zinc, manganese, iron, boron, cobalt, chlorine, and combinations thereof.

49. (Original) The method according to claim 1, wherein the hypersensitive response elicitor or polypeptide is derived from a species of pathogens selected from the group consisting of *Erwinia*, *Pseudomonas*, and *Xanthomonas*.

50. (Original) The method according to claim 49, wherein the hypersensitive response elicitor protein or polypeptide is derived from an *Erwinia* species selected from the group consisting of *Erwinia amylovora*, *Erwinia carotovora*, *Erwinia chrysanthemi*, and *Erwinia stewartii*.

51. (Original) The method according to claim 49, wherein the hypersensitive response elicitor protein or polypeptide is derived from a *Pseudomonas* species selected from the group consisting of *Pseudomonas syringae* and *Pseudomonas solanacearum*.

52. (Original) The method according to claim 49, wherein the hypersensitive response elicitor or polypeptide is derived from *Xanthomonas campestris*.

53. (Original) A method of increasing the efficacy of agricultural chemicals comprising:

applying at least one agricultural chemical to a transgenic plant or transgenic seed transformed with a nucleic acid molecule which encodes a hypersensitive response elicitor protein or polypeptide, wherein the agricultural chemical is applied under conditions effective for the agricultural chemical to perform its intended functions but with increased efficacy.

54. (Original) A method according to claim 53, wherein a transgenic plant is provided.

55. (Original) A method according to claim 53, wherein a transgenic plant seed is provided, said method further comprising:

planting the transgenic seed in natural or artificial soil and  
propagating plants from said transgenic seed planted in natural or artificial soil.

56. (Original) The method according to claim 53, wherein the agricultural chemical is selected from the group consisting of pesticides, fertilizers, and plant growth regulators.

57. (Original) The method according to claim 56, wherein the agricultural chemical is a pesticide selected from the group consisting of insecticides, fungicides, herbicides, acaricides, avicides, virucides, and nematocides.

58. (Original) The method according to claim 57, wherein the pesticide is an insecticide containing an active ingredient selected from the group consisting of carbamates, organochlorines, nicotinoids, phosphoramidothioates, organophosphates, and pyrethroids.

59-64 (Canceled).

65. (Original) The method according to claim 57, wherein the pesticide is a fungicide containing an active ingredient selected from the group consisting of aliphatic nitrogens, benzimidazoles, dicarboximides, dithiocarbamates, imidazoles, strobins, anilides, aromatics, sulfur derivatives, and copper derivatives.

66-73 (Canceled).

74. (Original) The method according to claim 57, wherein the pesticide is a herbicide containing an active ingredient with a site of action classification number selected from the group of consisting of 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 22, 28 and combinations thereof.

75-90 (Canceled).

91. (Original) The method according to claim 56, wherein the agricultural chemical is a plant growth regulator selected from the group consisting of auxins, cytokinins, defoliants, ethylene releasers, gibberellins, growth inhibitors, growth retardants, growth stimulators, (S)-trans-2-Amino-4-(2-aminoethoxy)-3-butenic acid hydrochloride, and N-(phenylmethyl)-1H-purine-6-amine.

92-97 (Canceled).

98. (Original) The method according to claim 56, wherein the agricultural chemical is a fertilizer containing plant nutrients selected from the group consisting of sulfur, phosphorus, magnesium, calcium, potassium, nitrogen, molybdenum, copper, zinc, manganese, iron, boron, cobalt, chlorine, and combinations thereof.

99. (Original) The method according to claim 53, wherein said transgenic plant or transgenic seed is selected from the group consisting of canola, alfalfa, rice, wheat, barley, rye, cotton, sunflower, peanut, corn, potato, sweet potato, bean, pea, chicory, lettuce, endive, cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, avocado, sugarcane, *Saintpaulia*, petunia, pelargonium, poinsettia, chrysanthemum, carnation, and zinnia.

100. (Original) The method according to claim 53, wherein the hypersensitive response elicitor protein or polypeptide is derived from the species of pathogen selected from the group consisting of *Erwinia*, *Pseudomonas*, and *Xanthomonas*.

101. (Original) The method according to claim 100, wherein the hypersensitive response elicitor or polypeptide is derived from an *Erwinia* species selected from the group consisting of *Erwinia amylovora*, *Erwinia carotovora*, *Erwinia chrysanthemi*, and *Erwinia stewartii*.

102. (Original) The method according to claim 100, wherein the hypersensitive response elicitor or polypeptide is derived from a *Pseudomonas* species selected from the group consisting of *Pseudomonas syringae* and *Pseudomonas solanacearum*.

103. (Original) The method according to claim 100, wherein the hypersensitive response elicitor or polypeptide is derived from *Xanthomonas campestris*.

104. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises nicotinoid.

105. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises strobil.

106. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate.

107. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate and strobil.

108. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate and nicotinoid.

109. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate and Dicamba.

110. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate, Dicamba, and strobil.

111. (New) The method according to claim 1, wherein the at least one agricultural chemical comprises glyphosate, Dicamba, and nicotinoid.

112. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises nicotinoid.

113. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises strobil.

114. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate.

115. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate and strobil.

116. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate and nicotinoid.

117. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate and Dicamba.

118. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate, Dicamba, and strobil.

119. (New) The method according to claim 53, wherein the at least one agricultural chemical comprises glyphosate, Dicamba, and nicotinoid.